

# 1. Identification of Substance & Company

**Product** 

Product name Xcell Truck & Fleet Wash

Product code XTFW HSNO approval HSR002530

**Approval description** Cleaning Product (Subsidiary Hazard) Group Standard 2017

UN number NA
DG class NA
Proper Shipping Name NA
Packaging group NA
Hazchem code NA

Uses External Vehicle Wash

**Company Details** 

Company Xcell Products NZ
Address 71 Adams Drive

Auckland New Zealand

**Telephone** +64 9 238 2389 [8.00 – 4.30 Mon to Fri]

**Fax** +64 9 238 2399

Emergency Telephone Number: +64 21 930 795 (24 hours emergency only)
National Poison Centre NZ (24 hours): 0800 POISON [764 766]

# 2. Hazard Identification

# Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.

# Classes Hazard Statements

6.3B H316 - Causes mild skin irritation. 8.3A H318 - Causes serious eye damage.

9.1C H412 - Harmful to aquatic life with long lasting effects.

SYMBOLS

# **DANGER**



# GHS 7 classification effective from 30 April 2021

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2020).

# Classes Hazard Statements

Eye corrosive cat 1 H318 - Causes serious eye damage.

Chronic aquatic cat 3 H412 - Harmful to aquatic life with long lasting effects.

# **Precautionary Statements**

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P103 - Read label before use.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/eye protection/face protection.

P332+P313 - If skin irritation occurs: Get medical advice/ attention.

Page 1 of 6 November 2020

Product Name: Xcell Truck & Fleet Wash



P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE or doctor/physician.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation.

### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Concentration
Cocoalkylmethyl[polyoxyethylene] ammonium chloride	61791-10-4	2.5-5%
Ingredients not contributing to HSNO classes	proprietary	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

#### 4. First Aid

## **General Information**

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

Recommended first aid

Ready access to running water is required. Accessible eyewash is required.

facilities

Exposure	
Swallowed	IF SWALLOWED: Call a POISON CENTRE or doctor/physician if you feel unwell. Rinse
	IL D. MOTT I I IVI O' I I I I I I I I I I I I I I I I I I

mouth. Do NOT induce vomiting. Give a glass of water to drink. Contact a doctor if experiencing any symptoms.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Immediately call a POISON CENTRE or

doctor/physician.

Skin contact IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical

advice/ attention. Take off contaminated clothing and wash before re-use.

Inhaled Generally, inhalation of fumes/vapours/dusts is unlikely to result in adverse health

effects. If coughing, dizziness or shortness of breath is experienced, remove the patient to fresh air immediately. If patient is unconscious, place in the recovery position (on the

side) for transport and contact a doctor.

# **Advice to Doctor**

Treat symptomatically

#### 5. Firefighting Measures

Fire and explosion hazards: Suitable extinguishing

substances:

Unsuitable extinguishing substances:

Products of combustion:

There are no specific risks for fire/explosion for this chemical. It is non-flammable. Carbon dioxide, extinguishing powder or water jet. Fight larger fires with water jet or alcohol resistant foam.

Unknown.

Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water.

May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying

spaces, forming potentially explosive mixtures.

**Protective equipment:** Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat

and eye protection.

Hazchem code: NA

### 6. **Accidental Release Measures**

Containment If greater than 1000L is stored, secondary containment and emergency plans to manage

any potential spills must be in place. In all cases design storage to prevent discharge to

In the event of a large spillage (e.g. >100L) alert the fire brigade to location and give brief **Emergency procedures** 

description of hazard. Stop the source of the leak, if safe to do so. Wear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your

Page 2 of 6 November 2020

Product Name: Xcell Truck & Fleet Wash



regional council immediately).

clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or

waterways has occurred advise local emergency services.

**Disposal** Mop up and collect recoverable material into labelled containers for recycling or salvage.

Recycle containers wherever possible. This material may be suitable for approved

landfill. Dispose of only in accord with all regulations.

Precautions Wear protective equipment to prevent skin and eye contamination and the inhalation of

vapours. Work up wind or increase ventilation.

# 7. Storage & Handling

**Storage** Avoid storage of harmful substances with food. Store out of reach of children.

Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in

Section 10.

**Handling** Keep exposure to a minimum, and minimise the quantities kept in work areas. See

section 8 with regard to personal protective equipment requirements. Avoid skin and eye

contact and inhalation of vapour, mist or aerosols.

# 8. Exposure Controls / Personal Protective Equipment

## **Workplace Exposure Standards**

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been established.

NZ Workplace Ingredient WES-TWA WES-STEL

**Exposure Stds** No ingredients listed

# **Engineering Controls**

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

# Personal Protective Equipment

Eyes



Protect eyes with goggles, safety glasses or full face mask. Avoid wearing contact lenses. Select eye protection in accordance with AS/NZS 1337.

Skin If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or

sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Protective gloves or suitably resistant material must comply with AS 2161.

Replace frequently. Gloves should be checked for tears or holes before use.

**Respiratory** Respirator is not required under normal use. Ensure adequate natural ventilation. If

product is being used in confined conditions, the use of a mask or respirator may be

Product Name: Xcell Truck & Fleet Wash

preferred.

# **WES Additional Information**

Not applicable



### 9. **Physical & Chemical Properties**

**Appearance** clear yellow liquid

Odour odourless 11 Hq Vapour pressure no data **Viscosity** no data **Boiling point** no data Volatile materials no data Freezing / melting point no data

Solubility completely soluble in water

Specific gravity / density 1.08 Flash point no data **Danger of explosion** no data **Auto-ignition temperature** no data **Upper & lower flammable limits** no data Corrosiveness non corrosive

#### 10. Stability & Reactivity

Stability

Conditions to be avoided Containers should be kept closed in order to avoid contamination. Keep from extreme

heat and open flames.

none known

Oxides of carbon.

Strong oxidisers, strong acids Incompatible groups

**Substance Specific** 

Incompatibility

Hazardous decomposition

products

**Hazardous reactions** none known

#### 11. Toxicological Information

## Summary

IF SWALLOWED: large quantities may cause gastrointestinal irritation.

IF ON SKIN: may cause mild irritation.

IF IN EYES: may cause serious eye damage.

IF INHALED: no effect anticipated

## **Supporting Data**

Acute Oral Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (oral) for the mixture is

>5,000 mg/kg.

Dermal Using LD50's for ingredients, the Acute Toxicity Estimate (ATE) (dermal) for the mixture

is >5000 mg/kg.

Inhaled Using LD<sub>50</sub>'s for ingredients, the Acute Toxicity Estimate (ATE) (inhalation) for the

mixture is >5mg/L/4h.

The mixture is considered to be corrosive to the eye, because some of the ingredients Eye

(Cocoalkylmethyl[polyoxyethylene] ammonium chloride) present at >3% are considered eve corrosives.

Skin The mixture is considered to be a skin irritant, because some of the ingredients

(Cocoalkylmethyl[polyoxyethylene] ammonium chloride) present are considered skin

Product Name: Xcell Truck & Fleet Wash

irritants in more concentrated form.

Chronic Sensitisation No ingredient present at concentrations > 0.1% is considered a sensitizer. Mutagenicity No ingredient present at concentrations > 0.1% is considered a mutagen.

Carcinogenicity No ingredient present at concentrations > 0.1% is considered a carcinogen. Reproductive / No ingredient present at concentrations > 0.1% is considered a reproductive or

Developmental developmental toxicant or have any effects on or via lactation.

**Systemic** No ingredient present at concentrations > 1% is considered a target organ toxicant.

Aggravation of None known.

existing conditions



# 12. Ecological Data

## Summary

This mixture may be harmful towards aquatic organisms with long lasting effects.

**Supporting Data** 

Aquatic Using EC<sub>50</sub>'s for ingredients, the calculated EC<sub>50</sub> for the mixture is between 10 mg/L and

100 mg/L.

Bioaccumulation No data
Degradability No data

**Soil** No evidence of soil toxicity.

**Terrestrial vertebrate** This mixture is not considered ecotoxic towards terrestrial vertebrates.

**Terrestrial invertebrate** No evidence of ecotoxicity towards terrestrial invertebrates.

**Biocidal** no data

**Environmental effect levels**No EELs are available for this mixture or ingredients

# 13. Disposal Considerations

**Restrictions** There are no product-specific restrictions, however, local council and resource consent

conditions may apply, including requirements of trade waste consents.

**Disposal method**Disposal of this product must comply with the Hazardous Substances (Disposal) Notice

2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore

rendered non-hazardous before discharge to the environment.

Contaminated packaging Disposal of contaminated packaging must comply with the Hazardous Substances

(Disposal) Notice 2017 clause 12. Ensure that the package is rendered incapable of containing any substance and is disposed in a manner that is consistent with the requirements of the substance it contained and the material of the package. If possible

reuse or recycle packaging.

# 14. Transport Information

Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

There are no specific restrictions for this product (not a dangerous good).

UN number:NAProper shipping name:NAClass(es)NAPacking group:NAPrecautions:NAHazchem code:NA

# 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2017. All ingredients appear on the New Zealand Inventory of Chemicals NZIoC.

# **Specific Controls**

Key workplace requirements are:

SDS To be available within 10 minutes in workplaces storing any quantity.

Inventory An inventory of all hazardous substances must be prepared and maintained.

Packaging All hazardous substances should be appropriately packaged including substances

that have been decanted, transferred or manufactured for own use or have been

supplied

Labelling Must comply with the Hazardous Substances (Labelling) Notice 2017.

Emergency plan Required if > 1000L is stored.

Certified handler Not required.

Tracking Not required.

Bunding & secondary containment Required if > 1000L is stored. Signage Required if > 1000L is stored.

Location compliance certificate Not required.
Flammable zone Not required.
Fire extinguisher Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

Page 5 of 6

November 2020 Product Name: Xcell Truck & Fleet Wash



# Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

## 16. Other Information

**Abbreviations** 

Approval Code Approval HSR002530, Cleaning Product (Subsidiary Hazard) Group Standard 2017

Controls, EPA. www.epa.govt.nz

CAS Number Unique Chemical Abstracts Service Registry Number

Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test

population (e.g. daphnia, fish species)

**EPA** Environmental Protection Authority (New Zealand)

**HAZCHEM Code** Emergency action code of numbers and letters that provide information to emergency

services, especially fire fighters

HSNO Hazardous Substances and New Organisms (Act and Regulations)

IARC International Agency for Research on Cancer LeL/UEL Lower Explosive Limit/ Upper Explosive Limit

**LD**<sub>50</sub> Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).

**LC**<sub>50</sub> Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population

(usually rats)

MSDS (SDS) Material Safety Data Sheet (or Safety Data Sheet)

NZIoC New Zealand Inventory of Chemicals

STEL Short Term Exposure Limit - The maximum airborne concentration of a chemical or

biological agent to which a worker may be exposed in any 15 minute period, provided the

TWA is not exceeded

TWA Time Weighted Average – generally referred to WES averaged over typical work day

(usually 8 hours)

**UN Number** United Nations Number

WES Workplace Exposure Standard - The airborne concentration of a biological or chemical

agent to which a worker may be exposed during work hours (usually 8 hours, 5 days a week). The WES relates to exposure that has been measured by personal monitoring

using procedures that gather air samples in the worker's breathing zone.

References

Unless otherwise stated comes from the EPA HSNO chemical classification information

database (CCID).

Controls EPA notices, www.epa.govt.nz, Health and Safety at Work (Hazardous Substances)

Regulations 2017, www.legislation.govt.nz

WES The latest NZ Workplace Exposure Standards, published by WorkSafe NZ and available

on their web site - www.worksafe.govt.nz.

Other References: Suppliers SDS, EU ECHA, ingredients SDS's, ChemIDplus

Review

DateReason for reviewNovember 2020Not applicable – new SDS

# Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email info@datachem.co.nz or phone: +64 9 940 30 80.

